



Flagship Marine is a **Worldwide Distributor** for the SeaMach and other fine RVP Coleman® - Mach® products

SeaMach Air Cooled **Marine** Rooftop a/c -13,500 BTUs of cooling with heat, ceiling assembly, controls and installation kit **for only \$929.95!**

"Factory Direct Pricing" to OEMs, Commercial Operators, the Military & Individual Consumers

Built to be **"worth its salt"** under the **toughest marine conditions.**



*Coleman-Mach*  
**SeaMach™**  
MARINE AIR CONDITIONER

Turn your boat's cabin into a cool refuge from the heat of the day with a SeaMach Marine Air Conditioner - **manufactured by the legendary industry leader - RVP - Coleman® Mach®.**


Built with extra protection against the vibration and saltwater corrosion that come with the territory on a boat, the SeaMach is an investment in quality you can rely on, season after season.

SeaMach features a powerful 13,500 BTU cooling capacity, a quiet, high efficiency rotary compressor with a very low start up surge, and it can be equipped with an Elect-A-Heat option that will take the chill off your cabin on cooler outings.

Manufactured by the long time industry leader for recreational vehicles and off-road RV applications, SeaMach is tough enough to comfort below deck.

**Here's what makes SeaMach a sea-worthy performer -**  
**unique and highly superior to a standard rooftop unit:**

- The blower motor features a **stainless steel shaft and plastic fan blade** rather than steel, and is **totally enclosed in an epoxy coated housing**.
- **Plastic drain pan** rather than steel.
- **Baked enamel coated condensers that** protect the aluminum fins from deterioration rather than naked aluminum condenser fins.
- **Flexible refrigeration hoses provide** better shock protection rather than pipe with soldered joints that can break under stress.
- **The compressor is supported** to withstand the impact forces a moving vessel will encounter.
- All exposed sheet metal parts are **electrostatically powder coated** rather than baked enamel.
- **Hard start capacitor** makes starting much easier on your vessel's power supply and generator.
- **Simple to install** with common hand tools - one 14" square opening - one power supply wire!
- **MagnaGard screws** are chemically treated to resist corrosion.
- **Dow Corning** protective agent seals all exposed metal parts.
- **Raised-lance fins** on the coils increase the surface area available for heat transfer, enhancing the efficiency of the cooling process.
- **Quiet, easy to start, rugged and efficient rotary** compressor.
- **New and improved hail and UV resistant polyethylene exterior shroud**



## Specifications

**BTUH Nominal Capacity**

Cooling.....13,500  
Heating.....5,600

Electrical rating.....115VAC, 60Hz, 1 Phase

**Cooling full load amps**

Compressor.....11.5  
Fan Motor.....low: 2.8, High 3.4  
Total.....14.9

Heating full load amps.....16.1

Running Watts (Cooling- low).....1,680  
Running Watts (Cooling- high).....1,875  
Running Watts (Heating).....1,900

Compressor Locked rotor amps.....67

**Compressor Ohm ratings**

Common/start.....3.38  
Common/run.....0.6

**Thermostat temperature range**

Cooling.....61°F +/-5 minimum  
Heating.....85°F +/-5 maximum

Metering device.....Capillary Tube

Refrigerant Charge.....17.5 Oz

Refrigerant Type.....R-22 \*

**Alternate zero ozone depleting** refrigerant ...R417A (AKA Isceon 59, AKA NU-22)\*

Evaporator air delivery.....330 CFM

**Dimensions:**

Exterior shroud - 13.25" high x 29" wide x 43" long

Interior ceiling assembly - 2.1"high x 19.9"wide x 20.1"long

Ceiling cutout opening size - 14" x 14"

Installed weight.....104 lbs

**\* Exporters/Importers please note** - Some countries do not allow the import of R22 refrigerant - Flagship Marine is a factory authorized facility for recovering the R22 refrigerant and replacing it with the zero ozone depleting R417a. We charge \$135.00 for this service.

**Our temporary discount price is only \$929.95!**

**This price Includes:**

Attractive interior ceiling assembly distributes air fore and aft

Water seal rubber compression gasket

Hi Cool - Low Cool - Heat - Off and thermostat control switches

Safe and reliable electric heating element

Complete installation hardware kit

Detailed and easy to follow installation manual

**All you need to add is a 115 volt power supply!**

**We ship anywhere!**

**No sales tax unless shipped to a Florida address.**

**Order online -**

**[sales@flagshipmarine.com](mailto:sales@flagshipmarine.com) - or call:**

**Phone: 772-283-1609**

**Fax: 772-283-4611**

**Watts: 800-316-6426**

**Stuart, Florida, USA**

**Also Available - 240/50Hz - non-marine applications:**

International "Mach 3 PLUS" Truck/Camper unit - 240VAC @50HZ charged with environmentally friendly R-407C refrigerant at "Factory Direct Prices" - We ship anywhere! [Click here for details.](#)

## Site Map:






**Air Cooled Systems &  
Explosion Proof  
Systems**  
[Prices and Specifications](#)



**Self-Contained  
Systems**  
[Prices and  
Specifications](#)



**Chilled Water Systems**  
[Prices and Specifications](#)

|  |  |   |
|--|--|---|
|  <p><a href="#"><u>Marine pumps</u></a></p>                                     |  <p><b>Air Cooled Rooftop<br/>AC Systems by<br/>Coleman/Mach</b></p> |  <p><b>High-Pressure Systems</b> (for<br/>ships and large commercial<br/>vessels) <a href="#"><u>Prices and Specifications</u></a></p> |
|  <p><a href="#"><u>Fernstrum Keel Coolers &amp;<br/>Heat Exchangers</u></a></p> |  <p><a href="#"><u>Best Prices on Carrier<br/>Equipment!</u></a></p> |  <p><b>Heat-Only Systems</b><br/><a href="#"><u>Prices and Specifications</u></a></p>  |
| <p><a href="#"><u>Reverse cycle heat vs<br/>Electric heat</u></a></p>  | <p><b><a href="#"><u>Properly size your boat<br/>BEFORE you charge ahead!</u></a></b></p>  | <p><a href="#"><u>Multiple Unit Installations</u></a></p>   |
| <p><a href="#"><u>Flagship digital control</u></a></p>   | <p><a href="#"><u>Flagship Installation kits</u></a></p>   | <p><a href="#"><u>Different types of systems</u></a></p>  |
| <p><a href="#"><u>12-24 Volt DC Systems</u></a></p>  | <p><a href="#"><u>Installation do's and don'ts</u></a></p>   | <p><a href="#"><u>Commercial operators</u></a></p>  |
| <p><a href="#"><u>Mfg. comparison</u></a></p>  | <p><a href="#"><u>Fresh Water Cooling</u></a></p>  | <p><a href="#"><u>Cruisers spare parts kit</u></a></p>  |

Flagship Marine, Inc., 2427 SE Dixie Hwy., Stuart, Florida 34996 - USA  
Phone: 772-283-1609 Fax: 772-283-4611 Wats: 800-316-6426 [sales@flagshipmarine.com](mailto:sales@flagshipmarine.com)  
Copyright © 1995-2008 Flagship Marine, Inc. All Rights Reserved.