



Flagship Marine is a **Worldwide Distributor** for the SeaMach and other fine RVP Coleman® - Mach® products

[\(Español\)](#)

[Click here for a printer-friendly PDF version of this page.](#)

[Click here to download Adobe®Acrobat®Reader® software for free!](#)

SeaMach Air Cooled **Marine** Rooftop a/c -13,500 BTUs of cooling with heat, ceiling assembly, controls and installation kit **for only \$929.95!**

"Factory Direct Pricing" to OEMs, Commercial Operators, the Military & Individual Consumers

Built to be **"worth its salt"** under the **toughest marine conditions.**



Coleman-Mach
SeaMach™
 MARINE AIR CONDITIONER

Turn your boat's cabin into a cool refuge from the heat of the day with a SeaMach Marine Air Conditioner - **legendary industry leader - RVP - Coleman® Mach®.**

Built with extra protection against the vibration and saltwater corrosion that come with the territory of marine life, this investment in quality you can rely on, season after season.


SeaMach features a powerful 13,500 BTU cooling capacity, a quiet, high efficiency rotary compressor w surge, and it can be equipped with an Elect-A-Heat option that will take the chill off your cabin on cool

Manufactured by the long time industry leader for recreational vehicles and off-road RV applications, it to give you years of cool comfort below deck.

Here's what makes SeaMach a sea-worthy performer - unique and highly superior to a standard rooftop unit:

- The blower motor features a **stainless steel shaft and plastic fan blade** rather than steel, and **totally enclosed in an epoxy coated housing.**
- **Plastic drain pan** rather than steel.
- **Baked enamel coated condensers that** protect the aluminum fins from deterioration rather than aluminum condenser fins.
- **Flexible refrigeration hoses provide** better shock protection rather than pipe with soldered joints can break under stress.
- **The compressor is supported** to withstand the impact forces a moving vessel will encounter.
- All exposed sheet metal parts are **electrostatically powder coated** rather than baked enamel.
- **Hard start capacitor** makes starting much easier on your vessel's power supply and generator.
- **Simple to install** with common hand tools - one 14" square opening - one power supply wire!
- **MagnaGard screws** are chemically treated to resist corrosion.
- **Dow Corning** protective agent seals all exposed metal parts.
- **Raised-lance fins** on the coils increase the surface area available for heat transfer, enhancing the efficiency of the cooling process.
- **Quiet, easy to start, rugged and efficient rotary** compressor.
- **New and improved hail and UV resistant polyethylene exterior shroud**

Inside the vessel all you see is an attractive ceiling mounted control & air distribution assembly that is only 3" high x 22.5" wide x 26" long:



Specifications

BTUH Nominal Capacity

Cooling.....13,500

Heating.....5,600

Electrical rating.....115VAC, 60Hz, 1 Phase

Cooling full load amps

Compressor.....11.5

Fan Motor.....low: 2.8, High 3.4

Total.....14.9

Heating full load amps.....16.1

Running Watts (Cooling- low).....1,680

Running Watts (Cooling- high).....1,875

Running Watts (Heating).....1,900

Compressor Locked rotor amps.....67

Compressor Ohm ratings

Common/start.....3.38

Common/run.....0.6

Thermostat temperature range

Cooling.....61°F +/-5 minimum

Heating.....85°F +/-5 maximum

Metering device.....Capillary Tube

Refrigerant Charge.....17.5 Oz

Refrigerant Type.....R-22 *

Alternate zero ozone depleting refrigerant ...R417A (AKA Isceon 59, AKA NU-22)*

Evaporator air delivery.....330 CFM

Dimensions:

Exterior shroud - 13.25" high x 29" wide x 43" long

Interior ceiling assembly - 2.1"high x 19.9"wide x 20.1"long

Ceiling cutout opening size - 14" x 14"

Installed weight.....104 lbs

*** Exporters/Importers please note** - Some countries do not allow the import of R22 refrigerant - Flagship Marine is a factory authorized facility for recovering the R22 refrigerant and replacing it with the zero ozone depleting R417a. We charge \$135.00 for this service.

Our temporary discount price is only \$929.95!

This price Includes:

Attractive interior ceiling assembly distributes air fore and aft

Water seal rubber compression gasket

Hi Cool - Low Cool - Heat - Off and thermostat control switches

Safe and reliable electric heating element

Complete installation hardware kit

Detailed and easy to follow installation manual

All you need to add is a 115 volt power supply!

We ship anywhere!

No sales tax unless shipped to a Florida address.

Order online -

sales@flagshipmarine.com - or call:

Phone: 772-283-1609

Fax: 772-283-4611

Watts: 800-316-6426

Stuart, Florida, USA

Also Available - 240/50Hz - non-marine applications:

International "Mach 3 PLUS" Truck/Camper unit - 240VAC @50HZ charged with environmentally friendly R-407C refrigerant at "Factory Direct Prices" - We ship anywhere! [Click here for details.](#)

[To view our "OFF ROOF" version of this unit click here.](#)

Site Map:

		
<p style="text-align: center;">Air Cooled Systems & Explosion Proof Systems Prices and Specifications</p>	<p style="text-align: center;">Self-Contained Systems Prices and Specifications</p>	<p style="text-align: center;">Chilled Water Systems Prices and Specifications</p>
		
<p style="text-align: center;">Marine pumps</p>	<p style="text-align: center;">Air Cooled Rooftop AC Systems by Coleman/Mach Prices and Specifications</p>	<p style="text-align: center;">High-Pressure Systems (for ships and large commercial vessels) Prices and Specifications</p>
		
<p style="text-align: center;">Fernstrum Keel Coolers & Heat Exchangers</p>	<p style="text-align: center;">Best Prices on Carrier Equipment!</p>	<p style="text-align: center;">Heat-Only Systems Prices and Specifications</p>
<p style="text-align: center;">Reverse cycle heat vs Electric heat</p>	<p style="text-align: center;">Properly size your boat BEFORE you charge ahead!</p>	<p style="text-align: center;">Multiple Unit Installations</p>
<p style="text-align: center;">Flagship digital control</p>	<p style="text-align: center;">Flagship Installation kits</p>	<p style="text-align: center;">Different types of systems</p>
<p style="text-align: center;">12-24 Volt DC Systems</p>	<p style="text-align: center;">Installation do's and don'ts</p>	<p style="text-align: center;">Commercial operators</p>
<p style="text-align: center;">Mfg. comparison</p>	<p style="text-align: center;">Fresh Water Cooling</p>	<p style="text-align: center;">Cruisers spare parts kit</p>

Flagship Marine, Inc., 2427 SE Dixie Hwy., Stuart, Florida 34996 - USA
Phone: 772-283-1609 Fax: 772-283-4611 Wats: 800-316-6426 sales@flagshipmarine.com

Copyright © 1995-2008 Flagship Marine, Inc. All Rights Reserved.